

Countertop and Furniture Solutions





Countertop and Furniture Solutions


135x305 cm 53.14"x120"

> < 14.5 mm



120x260 cm 47.24"x102.36"

>|< 6 mm



CONTENTS

THROUGH-BODY VEINING

GRIGIO VENATO 54
PIASENTINA XL 54
SAINT LAURENT 54
VIAREGGIO 54

MARBLE

BLACK BEAUTY 56 BRECCIA ADIGE 56 BLU DEL BELGIO 57 CLASSIC CARRARA 60 CLASSIC ONYX 60 CLASSIC FIORITO 61 CLASSIC NEW MARFIL 61 CLASSIC FLURRY 61 CALACATTA AFRICA 64 CALACATTA GOLD 64 CALACATTA EXTRA 65 CALACATTA CIELO 65 MEDICEA MARBLE 66 MARQUINA 66 PANDA MARBLE 67 PALISSANDRO 67 RAIN MARBLE 68 SILK MARBLE 69 THASSOS 68 URBAN MARBLE 70 VERSILIA MARBLE 70

CONCRETE

ARAGON CONCRETE 84
BEHIND 85
OSLO CONCRETE 84
REVIVE CONCRETE XL 86
SURFACE XL 87
TOKYO CONCRETE 86

METAL

EVOQUE METAL 94
ICON METAL 95

STONE

BASALTINA STONE 106
CEPPO DI GRE' 106
MACAUBAS 107
NEW TRAVERTINO 108

WOOD

BENGALA 116
BAILLIE WOOD 116
DENVER WOOD 117

UNI

UNI 124



Countertop surfaces

Countertop surfaces is the next generation of Maximus application: kitchen tops, vanity tops and stairs made from a single piece of porcelain, creating a stunning visual and seamless design.


>**l**< **14.5 mm** 0.57"



Furniture solutions


Maximus is ideal for dressing up modern spaces and covering doors, tables, kitchen doors or living room furniture.

>|< 6 mm 0.23"



The design possibilities are endless.

Imagine a tiled space with virtually no grout lines.
Imagine limitless possibilities for your sufaces and unparalleled flexibility for any kind of applications.
Maximus is available in 3 thicknesses and a wide range of finishes and sizes.
Heat resistance, recyclable, light weight, durable and easy to clean.
Maximus is the best answer to the most challenging architectural and interior design needs.





COUNTERTOP AND FURNITURE SOLUTIONS


Through-Body Veining

Porcelain tile as real as natural marble



Through-Body Veining is RAK Ceramics' innovative breakthrough in reproducing natural marble and stone veins that pass through the thickness of the porcelain slab's body. This technology gives porcelain slab a unique design feature, having a consistent marble veining, from the surface to the body until the base - a total synchronization.












Table top: Piasentina XL





THROUGH-BODY VEINING

GRIGIO VENATO

Porcelain Tiles Full Lappato



>l< 14.5 mm 135x305 cm 53.14"x120"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GGGOV-BEE.N0X2P

grigio venato beige

THROUGH-BODY VEINING

SAINT LAURENT

Porcelain Tiles Full Lappato



> 14.5 mm 135x305 cm 53.14"x120"



saint laurent black

PIASENTINA XL

Porcelain Tiles Natural



>|< 14.5 mm 135x305 cm 53.14"x120"



piasentina XL brown

| 国行行門| 元を表でし | 1886年198



AVAILABLE ON DEMAND

VIAREGGIO

>l< 14.5 mm 135x305 cm 53.14"x120" Porcelain Tiles Full Lappato



	1	
1	1	
1	1	

viareggio hyper white

SIZES (cm / inches)	THICKNESS (mm)	CODE	
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GVGGO-HWH.N0X2P	

26 RAK CERAMICS | MAXIMUS 2022 27



MARBLE

A wide and varied range of collections inspired by the elegance of marble to offer hundreds of solutions for residential areas, hospitality industry and business places. Revised classy marble and granite patterns displaying elegant veins which remodel walls, floors, countertops and furniture, creating sophisticated ambiances. Maximus marble collections are the epitome of luxury and sophistication. Also available in the trendy Open Book effect in a huge range of sizes, thicknesses and design solutions.











Wall: Medicea Marble Hyper White Floor: Revive Concrete XL Concrete Grey Kitchen Top: Medicea Marble Hyper White Table Top: Medicea Marble Hyper White












Floor: Blu Del Belgio Clay Counter: Blu Del Belgio Blue

Wall and Table: Calacatta Cielo










Wall: Calacatta Gold White

Counter Top and Table Top: Palissandro Floor: Uni Ivory





Wall and Floor: Panda Marble Counter: Panda Marble






Wall: Calacatta Africa White









Wall: Thassos

Table Top: Braccia Adige

55


BLACK BEAUTY

Porcelain Tiles Full Lappato / Honed



>l< 14.5 mm 135x305 cm 53.14"x120"

>l< 6 mm 120x260 cm 47.24"x102.36"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GBBKB-NEO.N0X2P
135x305 / 53.14"x120" (Honed)	14.5	A83GBBKB-NEO.O0X2P
120x260 / 47.24"x102.36" (Full Lappato)	6	A62GBBKB-NEO.N0X6P

black beauty

BRECCIA ADIGE

>l< 14.5 mm 135x305 cm 53.14"x120"

>|< 6 mm 120x260 cm 47.24"x102.36"



	-	
de la companya de la		
100		

breccia adige grey

Porcelain Tiles Full Lappato



SIZES (cm / inches) THICKNESS (mm) CODE * 135x305 / 53.14"x120" (Full Lappato) 14.5 A83GBRAE-GRY.N0X2P 120x260 / 47.24"x102.36" (Full Lappato) 6 A62GBRAE-GRY.N0X6P

* AVAILABLE ON DEMAND

MARBLE

BLU DEL BELGIO

Porcelain Tiles Full Lappato




>|< 6 mm 120x260 cm 47.24"x102.36"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GZBLB-BL0.G0C2P
120x260 / 47.24"x102.36" (Full Lappato)	6	A62GZBLB-BL0.G0C6P

blu del belgio blue




blu del belgio clay


SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GZBLB-CL0.G0C2P
120x260 / 47.24"x102.36" (Full Lappato)	6	A62GZBLB-CL0.G0C6P

RAK CERAMICS | MAXIMUS 2022 57

BLU DEL BELGIO OPEN BOOK EFFECTS


AVAILABLE ON DEMAND






open book effect (face A) blue


open book effect (face B) blue



SIZES (cm / inches)	THICKNESS (mm)	CODE
OPEN BOOK EFFECT (FACE A) BLUE 135x305 / 53.14"x120"	14.5	AGD83ZBLBBLEZHSA
OPEN BOOK EFFECT (FACE B) BLUE 135x305 / 53.14"x120"	14.5	AGD83ZBLBBLEZHSA


AVAILABLE ON DEMAND





open book effect (face A) clay

open book effect (face B) clay



SIZES (cm / inches)	THICKNESS (mm)	CODE
OPEN BOOK EFFECT (FACE A) CLAY 135x305 / 53.14"x120"	14.5	AGD83ZBLBCLAZHSA1P
OPEN BOOK EFFECT (FACE B) CLAY 135x305 / 53.14"x120"	14.5	AGD83ZBLBCLAZHSA2P

CLASSIC

Porcelain Tiles Full Lappato / Natural




CODE

A83GZCRR-GY0.G0C2P

> < 14.5 mm **135x305 cm** 53.14"x120"

>|< 6 mm **120x260 cm** 47.24"x102.36"



AVAILABLE ON DEMAND

SIZES (cm / inches)

135x305 / 53.14"x120" (Full Lappato)



classic carrara grey



classic carrara hyper white



classic fiorito beige

SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GZCRR-HWH.G0C2P
135x305 / 53.14"x120" (Natural)	14.5	A83GZCRR-HWH.M0X2R

THICKNESS (mm)

SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GZFRT-BE0.G0C2P

AVAILABLE ON DEMAND



classic flurry grey



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GZNMF-BE0.G0C2P
120x260 / 47.24"x102.36" (Full Lappato)	6	A62GZNMF-BE0.G0C6P


THICKNESS (mm)

CODE

A83GZFLU-GY0.G0C2P

A62GZFLU-GY0.G0C6P





classic onyx white

SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GZONX-WH0.G0C2P

AVAILABLE ON DEMAND


CLASSIC CARRARA HYPER WHITE OPEN BOOK EFFECTS





open book effect (face A)

open book effect (face B)




SIZES (cm / inches)	THICKNESS (mm)	CODE
OPEN BOOK EFFECT (FACE A) 135x305 / 53.14*x120* (Full Lappato)	14.5	AGD83ZCRRHWHZHSA1F
OPEN BOOK EFFECT (FACE B) 135x305 / 53.14*x120* (Full Lappato)	14.5	AGD83ZCRRHWHZHSA2P

AVAILABLE ON DEMAND







open book effect (D)



SIZES (cm / inches)	THICKNESS (mm)	CODE
OPEN BOOK EFFECT (FACE C) 135x305 / 53.14*x120* (Full Lappato)	14.5	AGD83ZCRRHWHZHSA3
OPEN BOOK EFFECT (FACE D) 135x305 / 53.14*x120* (Full Lappato)	14.5	AGD83ZCRRHWHZHSA4



CALACATTA AFRICA

Porcelain Tiles Full Lappato / Natural



> < 14.5 mm **135x305 cm** 53.14"x120"

>|< 6 mm **120x260 cm** 47.24"x102.36"



calacatta	africa	white	

SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GCCAF-WHE.N0X2P
135x305 / 53.14"x120" (Natural)	14.5	A83GCCAF-WHE.M0X2R
120x260 / 47.24"x102.36" (Full Lappato)	6	A62GCCAF-WHE.N0X6P
120x260 / 47.24"x102.36" (Natural)	6	A62GCCAF-WHE.M0X6R


SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GCCAF-WHE.N0X2P
135x305 / 53.14"x120" (Natural)	14.5	A83GCCAF-WHE.M0X2R
120x260 / 47.24"x102.36" (Full Lappato)	6	A62GCCAF-WHE.N0X6P
120x260 / 47.24"x102.36" (Natural)	6	A62GCCAF-WHE.M0X6R

CALACATTA EXTRA

Full Lappato / Natural

Porcelain Tiles

> 14.5 mm **135x305 cm** 53.14"x120"



calacatta extra white

SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	AGB83CCTEWHEZHSC2P
135x305 / 53.14"x120" (Natural)	14.5	A83GCCTE-WHE.M0X2R

CALACATTA CIELO

> < 14.5 mm **135x305 cm** 53.14"x120" Porcelain Tiles Full Lappato



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GCTCL-CLO.N0X2P

AVAILABLE ON DEMAND

CALACATTA GOLD

Full Lappato / Natural

Porcelain Tiles



>**|<** 6 mm **120x260 cm** 47.24"x102.36"



calacatta gold white

	ZES inches)	THICKNESS (mm)	CODE
	53.14″x120″ appato)	14.5	A83GCTAG-WHE.N0X2P
	53.14"x120" htural)	14.5	A83GCTAG-WHE.M0X2R
	17.24"x102.36" .appato)	6	A62GCTAG-WHE.N0X6P
,	17.24"x102.36" Itural)	6	A62GCTAG-WHE.M0X6R

calacatta cielo

MARQUINA

Porcelain Tiles Full Lappato / Honed

> 4.5 mm **135x305 cm** 53.14"x120"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GZLMV-BLK.N0X2P
135x305 / 53.14"x120" (Honed)	14.5	A83GZLMV-BLK.O0X2P

PALISSANDRO

Porcelain Tiles Full Lappato

CODE

AGB83PDMBWHEZHSNLP

A83GPDMB-WHE.M0X2R

AGB62PDMBWHEZHSC6P

>< 14.5 mm **135x305 cm** 53.14"x120"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GZEBI-IVO.N0X2P

AVAILABLE ON DEMAND

MEDICEA MARBLE


>< 14.5 mm

135x305 cm

53.14"x120"

Porcelain Tiles Full Lappato / Natural





>**|<** 6 mm

120x260 cm

47.24"x102.36"

SIZES (cm / inches)	THICKNESS (mm)	CODE	
135x305 / 53.14"x120" (Full Lappato)	14.5	AGB83MDMBHWHZHSC2P	
135x305 / 53.14"x120" (Natural)	14.5	A83GMDMB-HWH.M0X2F	
120x260 / 47.24"x102.36" (Full Lappato)	6	AGB62MDMBWHEZHSC6P	

medicea marble hyper white

PANDA MARBLE

Porcelain Tiles Full Lappato / Natural

>< 14.5 mm 135x305 cm 53.14"x120"

>**|<** 6 mm 120x260 cm 47.24"x102.36"



panda marble white

RAIN MARBLE

Porcelain Tiles Full Lappato



>< 14.5 mm **135x305 cm** 53.14"x120"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	AGB83RANMWHEZHSC2P

AVAILABLE ON DEMAND

SIZES (cm / inches)

135x305 / 53.14"x120" (Full Lappato)

120x260 / 47.24"x102.36" (Full Lappato)

AVAILABLE ON DEMAND

THICKNESS (mm)

CODE


A83GTHSS-HWH.N0X2P

A62GTHSS-HWH.N0X6P

THASSOS



>|< 6 mm 120x260 cm 47.24"x102.36"



h.	20	0	~ ~	

SILK MARBLE

Porcelain Tiles Full Lappato





SIZES (cm / inches)	THICKNESS (mm)	CODE	
135x305 / 53.14"x120"	14.5	AGB83SLMBBEEZHSNLP	

AVAILABLE ON DEMAND

silk marble beige



(cm / inches)	(mm)	CODE	
135x305 / 53.14"x120"	14.5	AGB83SLMBBRNZHSNLP	

THICKNESS (mm)

14.5

CODE

AGB83SLMBGRYZHSNLP

AVAILABLE ON DEMAND

silk marble brown



AVAILABLE ON DEMAND

SIZES (cm / inches)

135x305 / 53.14"x120"

MARBLE

URBAN MARBLE

Porcelain Tiles Full Lappato



> 14.5 mm 135x305 cm 53.14"x120"

>|< 6 mm 120x260 cm 47.24"x102.36"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	A83GURBM-OLE.N0X2P
120x260 / 47.24"x102.36" (Full Lappato)	6	A62GURBM-OLE.N0X6P

AVAILABLE ON DEMAND

VERSILIA MARBLE

Porcelain Tiles Full Lappato / Natural



> 14.5 mm 135x305 cm 53.14"x120" >|< 6 mm 120x260 cm 47.24"x102.36"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Full Lappato)	14.5	AGB83VSMBHWHZHSC2P
135x305 / 53.14"x120" (Natural)	14.5	A83GVSMB-HWH.M0X2R
120x260 / 47.24"x102.36" (Full Lappato)	6	AGB62VSMBWHEZHSC6P
120x260 / 47.24"x102.36" (Natural)	6	A62GVSMB-WHE.M0X6R

versilia marble hyper white



VERSILIA MARBLE OPEN BOOK EFFECTS







open book effect (face A) calacatta della piana

open book effect (B) calacatta della piana

SIZES (cm / inches)	THICKNESS (mm)	CODE
OPEN BOOK EFFECT (FACE A) CALACATTA DELLA PIANA 135x305 / 53.14"x120" (Full Lappato)	14.5	AGD83VSMBHWHZHSA1F
OPEN BOOK EFFECT (FACE B) CALACATTA DELLA PIANA 135x305 / 53.14"x120" (Full Lappato)	14.5	AGD83VSMBHWHZHSA2F


AVAILABLE ON DEMAND





open book effect (D) statuario apuano





SIZES (cm / inches)	THICKNESS (mm)	CODE
OPEN BOOK EFFECT (FACE C) STATUARIO APUANO 135x305 / 53.14"x120" (Full Lappato)	14.5	AGD83VSMBHWHZHSA3P
OPEN BOOK EFFECT (FACE D) STATUARIO APUANO 135x305 / 53.14"x120" (Full Lappato)	14.5	AGD83VSMBHWHZHSA4P



CONCRETE

Maximus' concrete collections make a powerful statement with their sheer simplicity. No fuss, no frills, just pure perfection. Packed full of contemporary style, the concrete-effect big slabs are the ideal choice for creating a minimalist look and feel.

Applied on furniture or indoor and outdoor cladding, the Maximus solutions are strikingly bold and beautiful, inspired by the simplicity and strength of industrial concrete.










Table Top: Revive Concrete XL Active White

Table Top: Behind Grey





Wall and Floor: Behind Beige Kitchen Top: Behind Beige ARAGON CONCRETE

Full Body Porcelain Tiles Natural



AGB83ARCRBRNZMSC2R

>< 14.5 mm **135x305 cm** 53.14"x120"



SIZES (cm / inches)		THICKNESS (mm)	
	135x305 / 53.14"x120"	14.5	

THICKNESS

AVAILABLE ON DEMAND

SIZES (cm / inches)

135x305 / 53.14"x120"

THICKNESS (mm)

14.5

aragaon concrete brown

OSLO CONCRETE

Full Body Porcelain Tiles Natural



CODE

AGB83OSCRGRYZMSC2R


> 4.5 mm 135x305 cm 53.14"x120"



oslo concrete grey

BEHIND

Full Body Porcelain Tiles Natural






SIZES (cm / inches) THICKNESS (mm) CODE 135x305 / 53.14"x120" A83GZBHD-BE0.M0C2R

AVAILABLE ON DEMAND

behind beige



135x305 / 53.14"x120"	14.5	A83GZBHD-GY0.M0C2R

THICKNESS (mm)

CODE

85

behind grey



behind light grey

SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	A83GZBHD-LGY.M0C2R

AVAILABLE ON DEMAND

REVIVE CONCRETE XL

Porcelain Tiles Natural



AGB83REVXACWZMSNLR

> 4 14.5 mm 135x305 cm 53.14"x120"

revive concrete xl active white



AVAILABLE ON D	DEMAND
----------------	--------

SIZES (cm / inches)

135x305 / 53.14"x120"

THICKNESS (mm)

TOKYO CONCRETE

Porcelain Tiles Natural



> < 14.5 mm 135x305 cm 53.14"x120"

>**|<** 6 mm 120x260 cm 47.24"x102.36"



tokyo concrete concrete grey

SIZES (cm / inches) THICKNESS CODE 135x305 / 53.14"x120" AGB83TYOCCRGZMSC2R 120x260 / 47.24"x102.36" AGB62TYOCCRGZMSC6R

AVAILABLE ON DEMAND

SURFACE XL

Porcelain Tiles



>< 14.5 mm 135x305 cm 53.14"x120"

>**|<** 6 mm 120x260 cm 47.24"x102.36"



135x305 / 53.14"x120"	14.5	AGB83ZSFXCGYZMSNLR
120x260 / 47.24"x102.36"	6	AGB62ZSFXCGYZMSC6R

THICKNESS (mm)

SIZES (cm / inches)

SIZES (cm / inches)

135x305 / 53.14"x120"

120x260 / 47.24"x102.36"

surface xl cool grey



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	AGB83ZSFXOWHZMSNLR
120x260 / 47.24"x102.36"	6	AGB62ZSFXOWHZMSC6R

THICKNESS

14.5

surface xl off white



surface xl sand

RAK CERAMICS | MAXIMUS 2022

CODE

AGB83ZSFXSANZMSNLR

AGB62ZSFXSANZMSC6R

CODE



METAL

Maximus celebrates the dramatic effects and contrasting colours created during the ageing process of raw metal. With a bold and arresting appearance, the Metal collection is perfect for urban and industrial settings and is suitable for indoor and outdoor applications.







Kitchen top and Furniture: Icon Metal Light Grey

EVOQUE METAL

>**<** 14.5 mm

135x305 cm 53.14"x120"

evoque metal brown

evoque metal grey

Porcelain Tiles Lappato/Natural

ICON METAL

METAL



> < 14.5 mm



SIZES (cm / inches) THICKNESS (mm) CODE 135x305 / 53.14"x120" A83GICMT-BRN.M0X2L

AVAILABLE ON DEMAND

icon metal brown

A CONTRACTOR OF THE PARTY OF TH	William Property	Charles and the same of	100
	200		GH
			12.0
			200
			1000
			700
THE RESERVE OF THE PARTY OF			990
			200
SHANNER WITH			200
STATE OF THE PARTY			0.55
Company of the second			1158
The state of the s	1000		100
4年度の指揮を	ALC: NO	2000	1200
5 1000000000000000000000000000000000000	27(1)	2 - 3 1 1 m	-750
A STATE OF SERVICE			200
A STATE OF THE STA	4 17		9650
		200	1555
-			No.
- 24- 55- 7755			100
		200	1000
		5 7 1 1 1 1 1 1 1	929
			900
		DAY .	200
		77.00 a l	1200
STATE OF THE PARTY	1 7 9 9 1 1		III Sec
	100000	No. of Land	1975
Maria San San San San San San San San San Sa			200
	SEPARA LA SE		200
			1570
Manager of the Control of the Contro			COLUMN TO SERVICE
STATE OF THE PARTY.			509
THE RESERVE OF THE PARTY OF THE		MINISTER SERVICE	686

SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	A83GEVQM-GRY.M0X2R

THICKNESS (mm)

A83GEVQM-BRN.M0X2R

AVAILABLE ON DEMAND

SIZES (cm / inches)

135x305 / 53.14"x120"

AVAILABLE ON DEMAND



icon metal light grey lappato

SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	A83GICMT-LIG.M0X2L


AVAILABLE ON DEMAND

lappato



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	A83GEVQM-ICE.M0X2R

AVAILABLE ON DEMAND



icon metal redox brown	natural

SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	A83GICMT-RXB.M0X2R

95




STONE

Maximus reinterprets the ancestral charm of stone and transforms it in one of the most favorite material in contemporary architecture.

Solid, durable and extremely versatile.

Maximus stones can be applied both indoors and out, and are designed to interpret both more minimalist tastes as well as the more refined and stylish ones.











BASALTINA STONE

Full Body Porcelain Tiles Natural



>l< 14.5 mm 135x305 cm 53.14"x120"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	A83GZBTN-GY0.M0C2R

AVAILABLE ON DEMAND

CEPPO DI GRE'

Porcelain Tiles Natural



>l< 14.5 mm 135x305 cm 53.14"x120"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Natural)	14.5	A83GCPDG-LIG.M0X2R

ceppo di gre' light grey

STONE

MACAUBAS

Full Body Porcelain Tiles Natural



>l< 14.5 mm 135x305 cm 53.14"x120"



 SIZES (cm / inches)
 THICKNESS (mm)
 CODE

 135x305 / 53.14*x120*
 14.5
 A83GZMCB-WH0.M0C2R

AVAILABLE ON DEMAND

macaubas white

NEW TRAVERTINO

Porcelain Tiles Full Lappato



>< 14.5 mm **135x305 cm** 53.14"x120"

>**|<** 6 mm **120x260 cm** 47.24"x102.36"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	A83GZNTV-BR0.G0C2P

AVAILABLE ON DEMAND

new travertino brown



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	A83GZNTV-IV0.G0C2P
120x260 / 47.24"x102.36"	6	A62GZNTV-IV0.G0C6P

AVAILABLE ON DEMAND







WOOD

Natural-looking tiles are one of the key trends for indoor and outdoor surface coverings, and wood is one of the most popular choice thanks to its versatility and beauty. The reinterpretation of wood aesthetics in large format porcelain tile creates an opportunity in designing spaces with warmth and coziness, in the grandest way possible.

Maximus wood collection brings life to spaces; ideal choice for modern

and contemporary interiors





BAILLIE WOOD

Porcelain Tiles Natural

>l< 14.5 mm 135x305 cm 53.14"x120" >|< 6 mm 120x260 cm 47.24"x102.36"



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	A83GBAWD-NUR.M0X2R
120x260 / 47.24"x102.36"	6	A62GBAWD-NUR.M0X6R

AVAILABLE ON DEMAND

baillie wood natural

BENGALA

>l< 14.5 mm 135x305 cm 53.14"x120"

bengala bone

>|< 6 mm 120x260 cm 47.24"x102.36" Porcelain Tiles Natural





SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120"	14.5	A83GBNGA-BNE.M0X2R
120x260 / 47.24"x102.36"	6	A62GBNGA-BNE.M0X6R

AVAILABLE ON DEMAND

DENVER WOOD

Porcelain Tiles Natural

>I< 14.5 mm 135x305 cm 53.14"x120" >l< 6 mm 120x260 cm 47.24"x102.36"



denver wood mud

1		I	
	SIZES (cm / inches)	THICKNESS (mm)	CODE
	135x305 / 53.14"x120"	14.5	A83GDENB-MUD.M0X2R
ĺ	120x260 / 47.24"x102.36"	6	A62GDENB-MUD.M0X6R


AVAILABLE ON DEMAND

116 RAK CERAMICS | MAXIMUS 2022 117



JNI

Avaliable in multiple choice of solid colours, Maximus Mega slab UNI collection can be used to cover walls, floors, facades, furniture or as a replacement for kitchen surfaces and bathroom vanity units. UNI is a must for architect and interior design projects.





Full Body Porcelain Tiles Natural/Polished


polished




>l< 14.5 mm 135x305 cm 53.14"x120"

uni hyper white

uni dark black



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Natural)	14.5	A83GMAXI-HWH.S0C2R
135x305 / 53.14"x120" (Polished)	14.5	A83GMAXI-HWH.X0C2P



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Natural)	14.5	A83GMAXI-LGY.S0C2R
135x305 / 53.14"x120" (Polished)	14.5	A83GMAXI-LGY.X0C2P

natural

SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Natural)	14.5	A83GMAXI-DBK.S0C2R
135x305 / 53.14"x120" (Polished)	14.5	A83GMAXI-DBK.X0C2P



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Natural)	14.5	A83GMAXI-DGY.S0C2R
135x305 / 53.14"x120" (Polished)	14.5	A83GMAXI-DGY.X0C2P

uni dark grey natural polished

124 RAK CERAMICS | MAXIMUS 2022 125

UNI

Full Body Porcelain Tiles Natural/Polished



>l< 14.5 mm 135x305 cm 53.14"x120"



SIZES (cm / inches)		
135x305 / 53.14"x120" (Natural)	14.5	A83GMAXI-IV0.S0C2R
135x305 / 53.14"x120" (Polished)	14.5	A83GMAXI-IV0.X0C2P



SIZES (cm / inches)	THICKNESS (mm)	CODE
135x305 / 53.14"x120" (Natural)	14.5	A83GMAXI-MOC.S0C2R
135x305 / 53.14"x120" (Polished)	14.5	A83GMAXI-MOC.X0C2P



uni ivory

MAXIMUS SPECIAL EGDES





Choosing the right edge for your countertop

14.5 mm thickness

HALF BULLNOSE

In any interior design project it is often the details that set it apart, and choosing your countertop edge is not a detail you want to overlook.


The edge can complete the style of your dream kitchen or bathroom.

Maximus standard and special edges are the finishing touch to your countertop installation.

RAK E-System*

RAK E-System is a worldwide exclusive by RAK Ceramics. It's the ideal and innovative solution to the current needs of designers who need to combine the aesthetics of a natural looking product with the versatility of porcelain slabs.

Thanks to its innovative and high performance materials, Maximus slabs can be easily processed to obtain glossy or matt thick edges, just gluing 2 overlapping slabs (14.5mm+14.5mm) according to the standards of natural stone processing.





*RAK E-System is only available for UNI



TECHNICAL

SIZES & PACKAGING

TECHNICAL SPECIFICATIONS

EQUIPMENTS AND HANDLING

CLEANING AND MAINTENANCE

Product sizes



Packaging details

PALLET DIMENSIONS (CM)

Finish	Length	Height	Width
Polished	315	40	150
Natural	315	40	150

TILE THICKNESS: 14.5MM

FINISH	TILE SIZE (CM)	TILE AREA (sqm)	KG per pc	PCS per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)
Polished	135x305	4.12	143	10	41.2	1502
Matt	135x305	4.12	150	10	41.2	1572

PALLET DIMENSIONS (CM)

Finish	Length	Height	Width
Polished	310	160	35
Natural	310	160	35

TILE THICKNESS: 14.5MM

FINISH	TILE SIZE (CM)	TILE AREA (sqm)	KG per pc	PCS per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)	
Polished	135x305	4.12	143	10	41.20	1478	
Natural	135x305	4.12	150	10	41.20	1548	

120x260 CM

ILONEOU C										
FINISH	THICKNESS	TILE SIZE	TILE AREA	KG	PCS	TILE AREA	WEIGHT	PALL	ET DIMENTIONS	(cm)
FINISH	(mm)	(cm)	(sqm)	per pc	per pallet	per pallet (sqm)	per pallet (kg)	LENGTH	HEIGHT	WIDTH
Polished / Natural	6	120x260	3.12	44.00	20	62.4	1000.00	267	33.50	133

Note: All tile dimensions mentioned above are rectified. Unrectified size is available in +/-140x308cm on request All weights and thickness mentioned in the above table are approximate average.

Technical specifications

TEST DESCRIPTION	STANDARD	STANDARD	RAK C	ERAMICS SPECIFIC	ATION
	TEST METHOD	REQUIREMENTS	Porcelain Tiles (Natural / Full Lappato) 14.5mm	Full Body Porcelain Tiles (Natural/ Polished/Full Lappato) 14.5 mm	Porcelain Tiles (Full Lappato) 6mm
Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects		nimum of 95% of the ti e free from visible defe	
Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm	± 1.0mm	± 1.0mm
Thickness	BS EN ISO 10545-2	<u>+</u> 0.5mm	± 0.5mm	<u>+</u> 0.5mm	± 0.5mm
Straightness Of Sides	BS EN ISO 10545-2	<u>+</u> 0.8mm	± 0.8mm	± 0.8mm	± 0.8mm
Rectangularity	BS EN ISO 10545-2	<u>+</u> 1.5mm	± 1.2mm	<u>+</u> 1.2mm	<u>±</u> 1.2mm
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	<u>±</u> 1.8mm	± 1.8mm	<u>+</u> 1.8mm	<u>+</u> 1.8mm
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	<u>+</u> 1.5mm	<u>+</u> 1.5mm
Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	± 1.5mm	± 1.5mm
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%	≤ 0.1%	≤ 0.1%
Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N ≥ 700 N	≥ 3500 N -	≥ 3500 N -	- ≥ 700 N
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 40 N/mm ²	≥ 40 N/mm ²	≥ 35 N/mm ²
Resistance To Deep Abrasion	BS EN ISO 10545-6	≤ 175 mm ³	-	≤ 150 mm ³	≤ 150 mm ³
Resistance To Surface Abrasion	BS EN ISO 10545-7	Report abrasion class	PEI CLASS 2-5	-	-
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect	No visible defect	No visible defect
Frost Resistance	BS EN ISO 10545-12	Required	No crazing	No visible damage	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	No visible damage	Class A No visible effect	Class A No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class A No visible effect	Class LA No visible effect	Class LA No visible effect
Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	Test method available	Class LA No visible effect	Class HA No visible effect	Class HA No visible effect
Resistance To Staining (Natural)	BS EN ISO 10545-14	Min. Class 3	Min. Class 4 Stains removed	Min. Class 3 Stains removed	Min. Class 3 Stains removed
Resistance To Staining (Polished)	BS EN ISO 10545-14	Test method available	-	Min. Class 2 Stains removed	Min. Class 2 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".

^{*} Test performed using 100X100 cm cut pieces from the slab. * Thickness is nominal

Suggested equipment

HANDLING EQUIPMENT

Aluminum Parallel profile with crossbars and Suction Vacuum suction cups with vacuum gauge



Tile Cart Trolley



Double Suction Cups



Modular Work Bench BM180



Modular Work Bench BM180 BM180 Plus (Perfect Workstation for large format tiles up to 160cm width)



CUTTING AND DRILLING EQUIPMENT

Compass device with suction cups for Circular Cuts



Free cut guide with complete outfit Max. Cut of length – 156 cm



Free Cut Extension



Cutting off pliers for tile/slabs




Diamond polishing pad



Diamond for edge and side polishing



Diamond Blades for simultaneous cutting and grooving



INSTALLATION AND LEVELLINGEQUIPMENT

Compact Vibrator or Tile Beater



RLS 3D Clips for tiles



Wedges (for Anti- Chipping / Anti-Scratching preventing platforms)



for wall and

Adjustable pliers for wall and floor covering



Rubber Grout floats

Low-speed mixer



Slant ridge notched trowel



Diamond for edge and side polishing



CLEANING AND MAINTENANCE

Brooms




Floats with abrasive pads



Handling Maximus

- Maximus extra-large format slabs arrive in oversized crates, which require specific Handling equipment to prevent from damage occurring during forklift operation, specific fork sizes must be used. For example, to handle a crate of 135cm x 305cm tiles from the side, 112cm/44" long forks are recommended.
- To handle the same crate from the narrow end requires forks that are at least 213cm/ 84" long. Lifting multiple crates with longer forks may require forklifts with a greater lift capacity.
- Specialized tools and equipment are currently available for the handling, installation and cutting of large porcelain surfaces. Innovative trowels with unique notch configurations can help increase the consistency of the mortar coverage on the back of the tile.
- To increase rigidity and limit twisting, use a system composed of parallel and transverse guides.
- For a perfect adhesion clean the slab and the sukers with a damp spongue.
- The suckers run along the guides and adhere to the slab. Make sure that a vacuum is created between the device and the surface.
- A single guide device can be used for sizes of maximum length.
- Use four operators at a time to carry out handling operations of large size slabs.
- Lift the slab along the long side and hang it vertically to the handles of the frame.
- For the large size slab a suitably reinforced trollry is recommended. Set the guides to the trolley for carrying the slab.
- Follow the same procedure for handling the 120x240cm and all other sub-sizes, where ony two operators are sufficient.



Cut-to-pieces and drilling

- RAK Ceramics recommends the use of special designed devices for handling as well as cutting and laying of big slabs.
- Handle slab with a proper and professional trolley of aluminum parallel profile with crossbars and vacuum suction cups along with a vacuum gauge. Please use double suction cups for slabs above 300cm. This could make sure that appropriate vacuum is created between the device and the slab. Lift the slab and keep it vertically to the trolley frame.
- Keep the slab on a stable, flat and intractable surface. For successful cutting and drilling, RAK Ceramic recommend using a professional modular workbench with aluminum profiles and proper cutting tools for each type of cut.
- Set the cutting unit on the tile so that the references coincide with the marked lines and lock it with the appropriate suckers. Score the slab from one edge to the other, being carefully maintaining the same pressure while moving.
- When the cut has been made, move the slab until the slit line sticks out a 10 to 15 cm from the workbench. Start hew from both sides using appropriate cutting-off pliers and follow the scoring line to complete the hew.
- Smooth rough edges and sides with an appropriate diamond polishing pad.
- To drill internal cutouts from the slab, first you need to draw the guide lines. For circular cuts, use the compass device with suction cups. For rectangular cut, drill first a 5 7 mm hole at the corners of the rectangle shape, using a non-percussion drill. For a better drilling always, keep the surface and drill a little bit wet. Then Follow the drilled lines using a diamond-blade angle grinder and then finish off the edges with a diamond-polishing pad. Round holes (4) must be made in wet drilling, using diamond-blades. Start engraving the surface with a 75 degrees point angle, then straighten out the drill avoiding excessive pressure on the slab. Also, in this case finish with a diamond-polishing pad.
- Manual traction devices are available, in order to make a finishing cut at 45° and thus enable special applications of the material.



TECHNICAL MANUAL

Cleaning And Maintenance

Maximus products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface. For most cases only a damp cloth is sufficient for cleaning. Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine. For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia
Ink	Oxidant - Solvent	Alcohol
Rust	Acid	Hydrolic acid
Lime	Acid	Descaling products
Cement	Acid	Hydrolic acid
Wine	Alkaline	Ammonia or Bleach
Coffee	Alkaline - Solvent	Ammonia or Bleach
Rubber	Solvent	Alcohol
Plaster	Acid	Hydrolic acid
Candle wax	Solvent	Alcohol
lodine	Oxidant	Bleach
Blood	Oxidant	Bleach
lce cream	Alkaline	Detergent
Resins	Solvent	Alcohol
Fruit juices	Oxidant	Bleach

Disclaimer: The aim of this manual is to offer helpful suggestions about handling and maintaining Maximus mega slabs. Due to nature of sintered ceramic material, it is highly advisable to consult an expert for these purposes. RAK Ceramics cannot be held responsible for any damage resulting from using the information and suggestions contained in this technical manual.

NOTES

RAK Ceramics Distribution Europe S.R.L. Via Ferrari Carazzoli, 21, 41042 Fiorano Modenese (MO), Italy Tel.: +39 0536 1888600 info@rakceramics.com

RAKCERAMICS.COM